

Calls Between 02/02/2004 and 03/02/2004

Analysis of Disconnection Causes showing the number of occurrences at each calling Gateway

Cause: 1	Unallocated (unassigned) number (Total: 44)	ISDN number was sent to the switch in the correct format; however, the number is not assigned to any destination equipment.
	Wellington 18	
	Ottawa 15	
	New_York 4	
	Colorado 3	
	Rome 3	
	London 1	
Cause: 3	No route to destination (Total: 58)	Call was routed through an intermediate network that does not serve the destination address.
	Wellington 39	
	Canberra 15	
	New_York 3	
	Vienna 1	
Cause: 10	Normal call clearing (Total: 2650)	Normal call clearing has occurred.
	Athens 642	
	Washington 440	
	Wellington 308	
	London 278	
	Ottawa 254	
	Rome 132	
	Stockholm 124	
	Madrid 123	
	Colorado 117	
	Canberra 105	
	New_York 102	
	Dublin 25	
Cause: 11	User busy (Total: 205)	Called system acknowledges the connection request but is unable to accept the call because all B channels are in use.
	Athens 49	
	Madrid 41	
	Ottawa 31	
	Wellington 23	
	Stockholm 22	
	London 13	
	Colorado 9	
	Dublin 7	
	Canberra 4	
	New_York 3	
	Rome 3	

Calls Between 02/02/2004 and 03/02/2004

Analysis of Disconnection Causes showing the number of occurrences at each calling Gateway

Cause: 15	Call rejected		Destination is capable of accepting the call but rejected the call for an unknown reason.
	(Total: 5)		
	Athens 4 Stockholm 1		
Cause: 1B	Destination out of order		Destination cannot be reached because the interface is not functioning correctly, and a signaling message cannot be delivered. This might be a temporary condition, but it could last for an extended period of time. For example, the remote equipment might be turned off.
	(Total: 1)		
	Stockholm 1		
Cause: 1C	Invalid number format		Connection could be established because the destination address was presented in an unrecognizable format or because the destination address was incomplete.
	(Total: 2)		
	Athens 1 Colorado 1		
Cause: 1F	Normal, unspecified		Reports the occurrence of a normal event when no standard cause applies. No action required.
	(Total: 39)		
	Colorado 12		
	Madrid 10		
	Canberra 6		
	Stockholm 5		
	Athens 2		
	New_York 2		
Ottawa 2			
Cause: 29	Temporary failure		Error occurred because the network is not functioning correctly. The problem will be resolved shortly.
	(Total: 6)		
	Ottawa 5 Colorado 1		
Cause: 51	Invalid call reference value		Remote equipment received a call with a call reference that is not currently in use on the user-network interface.
	(Total: 6)		
	New_York 6		

